

The NUCLEUS

OF THE NORTHEASTERN SECTION OF THE AMERICAN CHEMICAL SOCIETY

FRANCIS OWEN RICE

Catholic University of America

"Recent Advances in Free Radical Chemistry"

February 13, 1958

Thursday, 8:00 p.m.

PLACES OF MEETINGS

Dinner, 6:30 p.m.

The Campus Room, M.I.T. Graduate House


Address in Huntington Hall (Room 10-250)

The Massachusetts Institute of Technology


Continue Buying U. S. Savings Bonds

COPYRIGHT 1958


Published by the NORTHEASTERN SECTION of the AMERICAN CHEMICAL SOCIETY, Inc.



Section of Showroom



Main Building



Section of Research and Development


Thomas GIVES YOU SUPERIOR SERVICE



Order Editing



Shipping Center



Section of Service Department

because...

You deal with headquarters

Competent technological staff on call.
Orders filled promptly from vast warehouse.

You draw on large stocks

Three to six months supplies of 22,000 items—mostly pre-packaged—in our stock for immediate shipment.
Widest assortments of Corning, Kimble and Coors items available from any single source.

You select from 1726-page catalogue and supplement

An encyclopedic catalogue and supplement with factual, detailed descriptions—standard reference source throughout the free world.

You save time and money

Extensive pneumatic tube systems and conveyors speed delivery of orders.
More than 92% of orders shipped within two working days after receipt.
Accurate invoices and packing lists.
Substantial packing which keeps breakage to less than 1/20th of 1%.
One-price policy which insures lowest prices to all buyers—advance quotations unnecessary.

You are assured of satisfaction

Stocks carefully selected and continually inspected for quality and performance.
Prompt refund for any item found to be unacceptable for any reason.



ARTHUR H. THOMAS COMPANY

More and more laboratories rely on Thomas / Laboratory Apparatus and Reagents

VINE ST. AT 3RD • PHILADELPHIA 5, PA.

Telephone Service: Boston (Downtown), Brookline,
Cambridge and Somerville (no toll charges)
ENTERPRISE 2100

THE FOUR-HUNDRED AND SIXTY-SIXTH MEETING
of the
NORTHEASTERN SECTION A. C. S.

THURSDAY, FEBRUARY 13, 1958

The Massachusetts Institute of Technology, Room 10-250
Entrance, 77 Massachusetts Avenue or the Dorrance Biology Laboratories

AFTERNOON MEETING

There will be no afternoon meeting in February 1958

- 5:30 p.m. Preprandial Hour (reservations necessary) followed by
6:30 p.m. Dinner (reservations necessary) in the Campus Room of the M.I.T.
Graduate House, entrance from the street, 308 Memorial Drive.

Price \$2.75 per person (tax incl.)

Should you desire a place reserved, mail the enclosed post card, at once,
or, after 2:30 p.m. Thursday, call UNIVERSITY 4-6900, Ext. 2961.

EVENING MEETING

Lockhart B. Rogers, presiding

Francis Owen Rice, Catholic University of America, Washington, D.C.

- 8:00 p.m. "Recent Advances in Free Radical Chemistry"
9:15 p.m. Social hour in the Moore Room (6-321 in the Eastman Laboratories)

Signing and mailing the dinner card or telephoning for reservations must be regarded as obligations.


All interested are invited.

After five-thirty o'clock, the Reception Hall of the Campus Room, 308 Memorial Drive, west side of the Graduate House, will be available for members of the Section planning to attend the dinner.


A Committee will be in charge.

Facts you should know about


KIMAX[®] and KG-33 "hard glass"



KIMAX—for durability . . . KIMAX, Kimble's new laboratory glassware made of tough, hard KG-33 borosilicate glass, offers highest standards of thermal and mechanical shock resistance . . . has great resistance against chemical attack.



KIMAX—interworkable with existing "hard glass" stock . . . Kimax glassware is completely interworkable with your present "hard glass" apparatus because it has the same coefficient of expansion. Therefore, it will not obsolete your present stock.




**KIMAX
easy to repair
and modify**

By using simple glassworking techniques, KIMAX offers ease of repairing and modification to suit your special requirements.

Physical Properties of KG-33 "hard glass"	
Strain Point	515°C
Annealing Point	555°C
Softening Point	820°C
Linear Coefficient of Expansion (from 0 to 300°C), per 1°C	32×10^{-7}
Density	2.23
Refractive Index—Sodium (D line)	1.47
Visible Light Transmission, 2 mm thickness	92%
Specific Heat (in g. cal. per g. deg.)	.205 (25 to 175°C)
Thermal Conductivity (in cal. per cm. cube per 1°C)	.0028

For full information about Kimble's new KIMAX borosilicate glassware line, write Kimble Glass Company, subsidiary of Owens-Illinois, Department B Toledo 1, Ohio.

KIMBLE LABORATORY GLASSWARE
AN  PRODUCT

OWENS-ILLINOIS
GENERAL OFFICES • TOLEDO 1, OHIO

The NUCLEUS

Published monthly from October to June by the Northeastern Section of the American Chemical Society, Inc.

Editor—AVERY A. ASHDOWN, Mass. Inst. Technology, Cambridge 39, Mass. (UNiversity 4-6900)

Business Manager and Treasurer—ALLEN D. BLISS, Simmons College, The Fenway, Boston (LO 6-7400)

Advertising Manager—JOHN F. O'BRIEN, 10 High Street, Boston 10 (Liberty 2-6177)

Board of Publications—ROBERT D. EDDY, MARCO H. SCHEER, JOHN L. OHLSON

Printed by Boston Linotype Print, Inc., 270 Congress St., Boston (HAncock 6-4703)

THE NUCLEUS is distributed to the members of the Northeastern Section of the American Chemical Society, to the secretaries of the Local Sections, and to editors of all local publications.

Forms close for advertising on the 15th of the month and for text on the 12th of the month preceding issue.

Editorial

A NEW HOME FOR THE AMERICAN CHEMICAL SOCIETY

The decision was made about four years ago to proceed with plans for the American Chemical Society to move forward in its service to its greatly increased membership. At that time, now long past, the Finance Committee of our Society made a clear and definite choice to go ahead with those services commensurate with expanding numbers in the Society rather than to get along in quarters already taxed to the utmost. In accordance with this decision a vision of the not very distant future foresees a stately and adequate home for the American Society on the very site which has become a Mecca to the chemists of America and their many kindred spirits from other lands.

The cost of this new building will reach three million dollars, according to the estimates. How can this sum be accumulated? The answer could be found in more than one way. The most democratic procedure would be that every one of the 82,000 members, chemists and chemical engineers, contribute to the very best of his means. An average of \$36 for each member would assure the new building being free from mortgage at birth. The years ahead then could and should be devoted to the promotion of the science of chemistry in all of its branches while the Society stood on its newly constructed foundation free from any encumbering debt. Let us all resolve to contribute some support for the new and more adequate home for the American Chemical Society to rise on the ground now become hallowed by the workers who there have shown their devotion to the ideals of the A.C.S.

TYGON

flexible plastic
TUBING



From laboratory
supply houses everywhere

- ✓ *Handles every laboratory application*
- ✓ *Glass-like transparency for visual control*
- ✓ *String-like flexibility for easy handling*
- ✓ *First choice of laboratories the world over*



U. S. STONEWARE

AKRON 9, OHIO

PLASTICS AND
SYNTHETICS
DIVISION

390-E

The Northeastern Section

Board of Directors

LOCKHART B. ROGERS, Chairman, M.I.T.,
University 4-6900, Ext. 526

HOWARD H. REYNOLDS, Chairman-elect, Cryo-
vac Co., UNIVERSITY 4-8230, Ext. 662.

RIDGLEY G. SHEPHERD, JR., Secretary, Den-
nison Manufacturing Co., Framingham, TRinity
3-3511.

LLOYD H. PERRY, Treasurer, UBS Chemical Cor-
poration, UNIVERSITY 4-7300, Ext. 33

STUART B. FOSTER, Auditor, Framingham State
Teachers College

EDWARD R. ATKINSON, Immediate Past-Chair-
man, A. D. Little, Inc., UNIVERSITY 4-5770

AVERY A. ASHDOWN, Custodian, M.I.T.,
UNIVERSITY 4-6900, Ext. 554

Trustees of Section Funds, John T. Blake, Ernest C.
Crocker, John A. Timm

Chairman of the Board of Publications

Chairmen of the Standing Committee
Editor of the "Nucleus"

Councillors

Term expires

Jan. 1, 1959

James H. Gardner
Lockhart B. Rogers
John A. Timm

Term expires

Jan. 1, 1960

Austin W. Fisher, Jr.

Term expires

Jan. 1, 1961

Edward R. Atkinson
Thomas R. P. Gibb, Jr.
John L. Oncley

Alternates

Term expires

Jan. 1, 1959

Lawrence J. Heidt
John C. Sheehan

Term expires

Jan. 1, 1960

Howard H. Reynolds

Term expires

Jan. 1, 1961

Robert D. Eddy
James J. Lingane
Leonard K. Nash
Martha B. Thomas

Councillors, ex-officiis, James B. Conant, A. C.
Cope, Paul D. Bartlett, R. Tracy Eddinger, Eugene
G. Rochow, Lawrence J. Heidt, Hanna Frieden-
stein.

FEBRUARY SPEAKER



FRANCIS OWEN RICE

Francis Owen Rice was born in Liverpool, England, on May 20, 1890. His higher education was acquired at the University of Liverpool where he received the D.Sc. degree in 1916. From that date to the close of the First World War, he held positions in the chemical plants in England. At

the end of the war he came to Princeton University on an 1851 Exhibition Fellowship. His next position was that of an assistant professor of chemistry in New York University, from 1919 to 1925. Leaving New York he went to Johns Hopkins University where he remained until 1938, holding the positions of associate and associate professor. For the past twenty years he has been professor of chemistry and head of the Chemistry Department at the Catholic University of America, Washington, D.C.

More than eighty scientific papers have come from Dr. Rice's researches. In addition he is the author or co-author of three books, the American Chemical Society Monograph "The Mechanism of Homogenous Organic Reactions" by Francis Owen Rice, "The Aliphatic Free Radicals" with his wife, Mrs. Katherine K. Rice and "The Structure of Matter" with Edward Teller.

In 1930, Dr. Rice and Katherine Kempner were married. They have two daughters, Mrs. Dieter Wendling of Detroit, Michigan, and Cecilia Rice of Washington, D.C. Mrs. Rice is a psychiatrist, holding both the Sc.D. and the M.D. from Johns Hopkins.

Through Mrs. Rice's professional work, Professor Rice became interested in Linwood's Children's Farm, Inc. This institution is a non-profit, non-sectarian, interracial research cen-

(Please turn to next Page)

FRANCIS OWEN RICE

(Continued from previous Page)

ter for emotionally disturbed children. Professor Rice is interested particularly in developing the research aspects of the program of the center.

Dr. Rice has been a member of the American Chemical Society since 1919.

ANALYTICAL GROUP

FRANK O'HALLORAN, President, Water Laboratory, Commonwealth of Massachusetts, Lawrence, Mass. MURdock 2-5237.

RUSSEL T. WERBY, Secretary-Treasurer, Werby Laboratories. LI 2-0739.

The fifth meeting will be held at 8:00 p.m. on Wednesday, February 19, 1958, in Room 2-131, M.I.T.

Bert L. Vallee of the Harvard Medical School, the Peter Bent Brigham Hospital and the M.I.T. Biology Department, will speak on

"The Cyanogen-Oxygen Flame in Emission Spectrometry"

Prior to the meeting there will be a dinner at 5:45 p.m. in the M.I.T. Faculty Club on the sixth floor of the Sloan Building at 50 Memorial Drive, Cambridge. Reservations may be made by telephoning Mr. Russell T. Werby of the Werby Laboratories, LI 2-0739.

All interested persons are invited.

ANALYTICAL SPEAKER

BERT L. VALLEE

Bert L. Vallee, the speaker before the Analytical Group for February was born in Hemer, Westphalia, Germany, June 1, 1919. He is a naturalized American citizen.

His college training was acquired in Bern, Switzerland, where he received the B.S. degree in 1938. Coming to the United States, he obtained the M.D. degree from New York University in 1943.

Dr. Vallee has been associated with the Harvard Medical School since 1945. He is now an assistant professor in the school. He is a member of Biochemical Society, the Society of Clinical Investigation, the Optical Society of America and the New York Academy of Science. He joined the American Chemical Society in 1952.

The researches which have interested Dr. Vallee include the analytical detection and the function of trace elements in biological systems and their interaction with organic molecules and with proteins especially those having enzymatic activity. This work has emphasized the technique of absorption spectroscopy. Of late it has been concerned with the flame as an emission source. Recently it has led to the development of a high temperature flame.

ELASTOMER & PLASTICS GROUP

MAX TAITEL, Chairman, U.B.S. Chemical Corporation, University 4-7300.

J. HORACE FAULL, JR., Chairman-Elect, Consultant, KIRkland 7-8334.

The fourth meeting of the year will be held on Tuesday, February 18, 1958. It will be held in the Morse Auditorium of the Museum of Science, Science Park, Charles River Dam, Boston, Massachusetts.

Dr. Robert J. Myers of the Rohm and Haas Company will speak on

"Recent Developments in Applications of Acrylic Polymers"

Dr. Myers will discuss the recent rapid growth in the development of acrylate and methacrylate polymers for many industrial applications considered in terms of the bases on which acrylic polymers were selected and the properties which have enabled acrylic polymers to do a unique job. Newer developments in the use of acrylic polymers in the plastics, coatings, paper, textile, rubber, leather and water conditioning fields will be reviewed with illustrative examples.


Preceding the meeting there will be a preprandial hour at 6:00 p.m. (cost \$1.00), followed by a dinner (cost \$3.00) at 6:45 p.m. in honor of the

(Please turn to Page 118)

BURRELL

"For Scientists Everywhere"

THE KROMO-TOG[®]



Model K-2

Gas and Vapor Phase
Chromatography
At Its Best!

Burrell Kromo-Togs are complete and versatile instruments for the quick and accurate analysis by elution of most gases and volatilized liquids.

Model K-2 (pictured) accommodates two separate columns for maximum flexibility and operating economy in plant or laboratory.

Features include the finest detector cell available, variable column temperature control and other exclusive developments of Burrell laboratories.

Ⓜ Trademark

SPEEDY

Cuts analysis time to minutes even for complex compounds.

FLEXIBLE

Designed for ease of operation in research or process control.

**BURRELL KROMO-TOG,
MODEL K-2**

Cat. No. 340-20 \$3,800.00

Other Models from \$795. up

Register your name for BURRELL bulletins on modern chromatography

BURRELL CORPORATION

Scientific Instruments and Laboratory Supplies

2223 Fifth Avenue, Pittsburgh 19, Pennsylvania

ELASTOMER & PLASTICS GROUP

(Continued from Page 116)

speaker, in the Morse Auditorium.

Reservations for the preprandial hour and the dinner are necessary and may be made in writing or by phone with Mr. Henry S. Anthony, Tyer Rubber Company, 10 Railroad Street, Andover, Mass. (phone Andover 3090) no later than 10:00 a.m. Monday, February 17, 1958. Reservations are binding.

All interested persons are invited.

ELASTOMER & PLASTICS GROUP SPEAKER

ROBERT J. MYERS

Robert J. Myers was born in Omaha, Nebraska, August 1909. He received his undergraduate training at Creighton University, where he obtained the B.S. degree in 1931. His Ph.D., in physical chemistry, was conferred by Johns Hopkins University in 1935. During 1934-1935 he was a Research Associate at Johns Hopkins Hospital. From 1935-1937 he was a Research Associate in the Department of Chemistry at the University of Chicago.

In 1937 he joined the Rohm & Haas Company, where he is presently Assistant to the Vice-President in charge of Research. He had been successively Research Chemist, Laboratory Head and Research Supervisor. For the last six years he has been engaged in staff activities.

Dr. Myers principal areas of activities have included the applications and the research and development of synthetic polymers and surface active agents in coatings, paper, plasticizers, textiles, plywood, agriculture and ion exchange resin fields. He became a member of the American Chemical Society in 1928.

HIGH SCHOOL SPONSORS COMMITTEE

An announcement describing a program of the Chemistry Education Committee for a contact program with local high schools is inserted in this issue of THE NUCLEUS.

BOSTON SECTION OF THE ELECTROCHEMICAL SOCIETY

The fourth meeting of the Boston Section of the Electrochemical Society will be held at 8:00 p.m. on Wednesday, March 5, 1958, in the Campus Room of the M.I.T. Graduate House. There will be a preprandial hour at 5:30 p.m. with dinner following at 6:30 p.m. The cost of the dinner will be \$3.00.

Dr. Harry C. Gatos of the M.I.T. Lincoln Laboratories will speak on

"The Corrosion of Germanium"

This meeting will be held jointly with the National Association of Corrosion Engineers.

All interested persons are invited.

At this meeting Dr. Gatos will summarize the studies which have been made on the chemical behavior of germanium surfaces in oxidizing liquid media as influenced by surface treatment, crystallographic orientation and the concentration of mobile carriers. The principal media employed were water containing dissolved oxygen and nitric acid solutions containing various amounts of nitrous and hydrofluoric acids.

RICHARD W. FESSENDEN


MEMORIAL SCHOLARSHIP

A committee of former students of the late Richard W. Fessenden, Professor of Chemistry at the University of Massachusetts has started to build a memorial scholarship in his name. This fund, to be administered by the University of Massachusetts Foundation, will be used for tuition scholarships for outstanding undergraduate chemistry majors at the University of Massachusetts.

Contributions to the fund may be sent to

Mr. Stanley Polchlopok, Treasurer
Richard W. Fessenden Memorial
Scholarship Fund
American Cyanamid Co.,
Stamford, Connecticut

This communication comes from the desk of Alexander R. Amell, Assistant Professor of Chemistry in the College of Technology of the University of New Hampshire.



-look to **FISHER**

for **IMMEDIATE
SERVICE**

in **BOSTON**
and surrounding areas

Need something for your laboratory in a hurry?
Do two things:

1. Consult your Fisher Catalog or Chemical Index for your requirements.
2. Pick up your telephone and call the number listed below.

Here, trained Fisher specialists are waiting to serve you. They are in direct communication with Fisher stocks, America's most complete stocks of laboratory instruments, apparatus, furniture and reagent chemicals.

Next time — try Fisher first.



UNiversity 4-5013



FISHER SCIENTIFIC

America's Largest Manufacturer-Distributor of Laboratory Appliances & Reagent Chemicals

18 Brattle Street, Cambridge 38, Mass.

M-8

A NEW HOME FOR THE AMERICAN CHEMICAL SOCIETY

How to make the plans take form for a new headquarters building for the American Chemical Society in Washington, D C.? Let all members of the Northeastern Section of the A.C.S. and friends of the American Chemical Society join in helping the Committee Chairman, Fred Warren McLafferty, the Vice-Chairmen, Edward A. Atkinson and Eugene C. Rochow and the whole committee to do our share. In the words of Russell T. Werby, in whose keeping lies the publicity for the fund raising in our Section, "The aim is to contact directly the 2,434 members of the Northeastern Section for supporting the new home."

There follows, here, the members of the committee as received by the NUCLEUS up to January 23, 1958. Names of other volunteer helpers will be forthcoming.

NORTHEASTERN SECTION OF THE ACS BUILDING FUND DRIVE COMMITTEE

CHAIRMAN OF FUND RAISING CAMPAIGN



FRED WARREN McLAFFERTY

Chairman: Fred W. McLafferty
Vice-Chairmen: Edward R. Atkinson,
Eugene G. Rochow
Publicity: Russell T. Werby

CAMPAIGN AREAS

Harvard, M.I.T.

John L. Oncley, Director
David H. Elwyn, Capt.; D. Mark Hegsted, Douglas M. Surgenor, Mary O. Amdur, Cornelius F. Strittmatter, Edmund Lin, Lewis T. Mann, Jr., Boris Magasanik, J. Carrell Morris, Capt.; Ronald E. Vanelli, Capt.; Lawrence J. Heidt, Asst. Dir. and Capt.; Alan S. Michaels, Capt.; John Machlin Buchanan, Capt.; John W. Winchester, Capt.; Carl W. Garland, Capt.; E. Lee Gamble, Lockhart B. Rogers, Walter H. Stockmayer, William R. Moore, John C. Sheehan, Frederick D. Greene, II, Norman A. Nelson

Other Universities, Hospitals

David M. Howell, Director
Charles E. Messer, Capt.; Alton Meister, Asst.; Mayo Oziel, Edward Frieden, William O. Foye, Capt.; Ronald N. Duvall, James Mickles, Montgomery H. Talbot, Klaas Eriks, Capt.; Herbert H. Wotiz, Asst.; Leroy C. Keagle, Melvin H. Saxe, Edward L. McGandy, Ronald M. Milburn, Janet S. Perkins, Capt.; David M. Howell, Capt.; Chester P. Baker, Francis N. LeBaron

New Hampshire


Alexander R. Amell, Director
Robinson M. Swift, Capt.; Gilman K. Crowell, Capt.; Winslow S. Caughy, Capt.; Fred L. Langevin, Jr., Capt.; Paul R. Jones, Capt.; Warren

(Please turn to Page 128)


What Artisan Industries can do for you...

This family of companies offers a unique, integrated service for the manufacture of process equipment

ARTISAN METAL PRODUCTS, INC. — *Specialists in process equipment and pilot plants:* Evaporation • Distillation • Waste recovery • Heat transfer • Solvent extraction and recovery • Organic synthesis • Nuclear process equipment. *Specialists in mechanical equipment:* Test equipment • Special machines • Packaging equipment • Continuous transfer and treating equipment • Nuclear mechanical devices. **METAL FABRICATORS CORPORATION** — Fabrication for the electronics industry • Specialized components for machine tool builders • Fractionating trays for the chemical and petroleum industries • Missile and rocket components • Aircraft sheet metal work • A-N Certified spot, seam, heliarc and electric welding. **THE KONTRO COMPANY, INC.** — Ajust-o-film centrifugal processing equipment • Thermalizers. **THE JET-VAC CORPORATION** — Jet ejectors for the processing and power industries • Steam jet ejectors for vacuum service • Ejectors to operate on special process fluids or applications • Barometric condensers — surface condensers. **HI-SPEED EQUIPMENT, INC.** — Film spray developing machines—black and white • Film developing machines — color • Silver recovery systems • Film laboratory equipment.




FREE — *Fact-packed folder gives full information on the many services of each company. Invaluable reference material for anyone who will ever need special or production equipment. Write for your copy today, or phone TWinbrook 3-6800.*



**ARTISAN
INDUSTRIES**

74 Pond Street
Waltham 54, Mass.



ARTHUR ANDREW VERNON
DEAN OF THE NORTHEASTERN GRADUATE SCHOOL

ARTHUR A. VERNON

DEAN OF THE NORTHEASTERN UNIVERSITY GRADUATE SCHOOL

Dr. Arthur A. Vernon, Chairman of Northeastern University's Department of Chemistry, has been named Dean of Northeastern's new Graduate School which will be established July 1, 1958, President Carl S. Ell announced on Friday, January 3, 1958.

Nearly 2,500 students are currently studying for master's degrees in the four areas of graduate work offered by the University in Engineering, Education, Business Administration, and Liberal Arts.

As the first Dean of the new school, Dr. Vernon will co-ordinate the activities of all graduate study and be responsible for the further expansion and development of the academic programs.

The Graduate School will be located in Northeastern's proposed \$1,000,000 Graduate Center, construction of which will be started late this Spring and completed by the summer of 1959.

According to Dr. William C. White, University Vice-President, the creation of the Graduate School at Northeastern is "designed to meet the steadily growing pressure" for more academic work on the graduate level.

"Although pressure for increased graduate work is strong at present," Dr. White said, "the need will undoubtedly become more urgent in the next decade and we feel the time has now arrived to widen an anticipated 'bottleneck' at the graduate level."

The demand especially from business and industry in recent years for more graduate work has been greater than ever before, he said.

A member of Northeastern's faculty for the past 20 years, Dr. Vernon initiated the first programs leading to the master of science degree 15 years ago in the College of Liberal Arts.

From 1938 to the present time he has been teaching courses in chemistry and serving as Chairman of the Department. Beginning with the academic year 1958-1959 on July 1, Dr. Vernon will devote his entire time to the co-ordination and planning of new developments in the Graduate School.

A graduate of Union College with B.S. and M.S. degrees and Princeton University with a Ph.D. in chemistry, he has been active in a number of professional societies. He has held many top positions in the American Chemical Society and is also a member of the American Institute of Chemical Engineers, the American Academy of Arts and Sciences, Sigma Xi, Lambda Chi Alpha, Phi Kappa Phi, and the New England Association of Chemistry Teachers. He became a member of the American Chemical Society in 1924.

The author of more than 30 technical articles and co-author of a textbook in chemistry, Dr. Vernon is a former faculty member of the University of Rhode Island. He was also a research chemist with General Electric and the E. I. duPont de Nemours Co., and has been a consultant for Arthur D. Little, Inc. in Cambridge for 15 years.

Professor and Mrs. Vernon with their daughter, Eleanor, make their home at 14 Standish St., Newton Highlands.

RECENT WORK ON THE INITIATION OF CHAIN REACTIONS¹

An address before the Northeastern Section, A.C.S., January 9, 1958

By PAUL D. BARTLETT, Harvard

A chain reaction proceeds by repeating chemical cycles involving a highly reactive and short-lived intermediate. This intermediate may be an excited state, ion, atom, free radical, or even an elementary particle such as a neutron. In organic chemistry most chain reactions involve atoms and free radicals, and this discussion will be concerned only with these.

Organic chain reactions may be initiated by heat, light or chemical reagents acting directly on the reactants. A very general way to initiate chain reactions is to introduce any free radical at a low rate into the reactants. Whether related to them chemically or not, a reactive free radical will attack the reactants in such a way that after a single cycle only their own product results.

Therefore the most universal way to initiate chain reactions is by means of thermally unstable substances which will spontaneously decompose to free radicals, and this way of initiating chain reactions is the subject of the present discussion. The chief way in which this method of chain initiation may backfire is through the formation of free radicals which are already much more stable than those which it is desired to form in the chain reaction. It is possible for a radical to be so long-lived that it survives to react with the chain carriers and bring about termination, not initiation, of chains. Such is the case with the classical triphenylmethyl radical, which will serve as an inhibitor rather than an initiator of the polymerization of vinyl and allyl esters.

The commonest types of initiators are those containing either the O-O or the N=N bond - dialkyl or diacyl peroxides, peresters, and azo compounds. The two kinds of bonds make good initiators for different reasons. The O-O bond has a strength of only about 33 kcal. and breaks at temperatures from 50 to 150°C. into alkoxy or acyloxy radicals. The N=N bond does not break, but in the process of forming molecular nitrogen enough energy is contributed to facilitate the simultaneous cleavage of the two C-N bonds flanking it, so that two carbon radicals are produced.

Evidence for the involvement of a single O-O bond only in the thermal decomposition of benzoyl peroxide has been provided by Hammond² while Cohen and Wang³ have shown that substitution on both sides of an azoalkane contributes simultaneously to establishment of the energy of activation for the decomposition and, therefore, that both C-N bonds are involved in the rate-determining step. Although the cleavage of a single O-O bond appears to be a general mechanism for chain initiation by dialkyl peroxides, substituted benzoyl peroxides and substituted *t*-butylperbenzoates, there are indications of a sharp change of mechanism when in a diacyl peroxide (RCOO)₂ or a perester RCO₂C(CH₃)₃ the group R is one which is capable of some stabilized existence as a free radical. Thus, the peroxide of phenylacetic acid decomposes briskly below room temperature while that of diphenylacetic acid has so far eluded preparation. The mechanism best able to account for these facts is a two-bond decomposition entirely similar to that recognized among the azo compounds but producing carbon dioxide instead of nitrogen.

In the series of *t*-butyl peresters as R is varied from CH₃ to (C₆H₅)₂C(CH₃) the rate of decomposition at a given temperature increases by five powers of ten, the enthalpy of activation, ΔH^\ddagger , drops from 38 to 24.7 kcal. and the entropy of activation drops from 17 to 3.3 e.u. The radical stabilities inferred from this behavior are in the order methyl < trichloromethyl < *t*-butyl < benzyl < cumyl < benzhydryl < *a,a*-diphenylethyl < phenylallyl. The study of this rather readily accessible series of compounds thus appears to offer a way of estimating the resonance energies of some short-lived free radicals which cannot be studied under equilibrium conditions.

The effect of introducing methyl and phenyl groups in place of hydrogen in the methyl group of a perester is quantitatively similar to the effect of the same substitution in azomethane, as reported by Cohen and


Wang. There are two important differences, however. In the peresters, the introduction of a second phenyl group produces substantially less effect than the introduction of the first, whereas in the azo compounds no such diminishing returns are noted. In the azo compounds there is no regular trend of the entropy of activation as the energy of activation is lowered. In the peresters, however, the substantial lowering of activation energy with increasing radical stability is accompanied by a progressive lowering of the entropy of activation, which tends to lower rather than to raise the reaction rate. This is a familiar phenomenon in various fields of chemistry. In the present instance there is an attractive mechanism for the parallel trend of ΔH^\ddagger and ΔS^\ddagger . Because the transition state must be geometrically compatible with the bonds which are being incipiently formed and with the resonance or electronic delocalization which is facilitating the process, the rotational freedom of the reacting molecule must be more or less restricted in order to achieve the favorable reaction which results from the formation of stable products in the transition state. It can be shown that increasing yields of stabilization energy from these products are associated with increasing orientation requirements and this must of course always mean decreasing entropy in the transition state.

In the present series of peresters arbitrary division into four groups according to the number of bonds, from zero to three, whose rotation must be frozen in the transition state results in a separation into cleanly bounded groups with respect to both ΔH^\ddagger and ΔS^\ddagger for decomposition.

The decomposition products are compatible with the concerted mechanism of decomposition and become particularly clean in those esters in which R equals cumyl, benzhydryl and *a,a*-diphenylethyl where the yield of carbon dioxide is essentially quantitative. The R group is accounted for as coupling and disproportionation products with variable amounts of the ether $\text{ROC}(\text{CH}_3)_3$. Both the rate and products of decomposition of *t*-butyltrifluoroacetate are so abnormal as to indicate decomposition by an ionic mechanism rather than the formation of free radicals.

These studies have opened up certain side lines which carry us afiel from the initiation of chain reactions. For example, the fastest perester yet prepared is *t*-butyl-2-phenyl-3-perbutenoate with a half-life at 60° of four minutes and ΔH^\ddagger of 23 kcal., ΔS^\ddagger -1.1. The phenylallyl radical which results from the decomposition is also produced from the isomeric ester *t*-butyl-4-phenyl-3-butenate which, however, decomposes twenty-five times more slowly. The decomposition products of these two esters are very complicated because of simultaneous isomerization to peroxyesters of α,β unsaturated acids which are as stable as peracetates but which can be attacked by the free radicals produced in the decomposition.

As previously mentioned, free radicals which are too stable are unable to start chain reactions. Thus, we do not produce better initiators when their increased speed of decomposition is achieved by the generating of more stable free radicals. It is possible, however, to extend the azo principle one step further and utilize certain peresters which can yield not one molecule of carbon dioxide but two in the act of decomposition. Such a substance is di-*t*-butylperoxalate:



which yields no stabilized radicals on decomposition but which does give two molecules of carbon dioxide. This perester is a good initiator of such chain

reactions as the polymerization of styrene and of allyl esters at room temperature and it fits with respect to ΔH^\pm and ΔS^\pm into the series of simple peresters. In order to gain an idea whether this ester is producing one or two molecules of carbon dioxide in the initial rate determining step of decomposition, it has been compared with ethyl t-butylperoxyoxalate in which there is only one O-O bond and hence, the likelihood of only one carbon dioxide expulsion. The double perester shows a rate six times greater than the single, a ΔH^\pm 1.4 kcal. lower and a ΔS^\pm lower by only 0.9 e.u. Among the products of decomposition of the mono-perester in benzene, substantial quantities of both ethyl t-butyl carbonate and ethyl benzoate are found, whereas carbonates and benzoates (products of carbalkoxy radicals) are totally absent in the decomposition of di-t-butyl peroxyoxalate. This evidence suggests that a limit has not yet been reached to the possibility of making more active chain initiators with the simultaneous breaking of several bonds.

The experiments reported are from the thesis of Dr. R. R. Hiatt, the predoctoral research of Messrs. A. R. Feldman and R. Pincock, and postdoctoral work of Drs. D. M. Simons and E. P. Benzing.

References

1. P. D. Bartlett, *Experientia, Supplementum VII*, p. 275 (1957)
2. G. S. Hammond and L. M. Soffer, *J. Am. Chem. Soc.*, **72**, 3628 (1955)
3. S. G. Cohen and C. H. Wang, *J. Am. Chem. Soc.*, **77**, 3628 (1955)

NORTHEASTERN SECTION — AMERICAN CHEMICAL SOCIETY

MUSEUM OF SCIENCE

NEW ENGLAND ASSOCIATION OF CHEMISTRY TEACHERS

MARCH 1958 LECTURE SERIES FOR SCIENCE TEACHERS

THE CHEMISTRY OF ROCKETS

Five experts on various phases of rocket-research will discuss the chemistry of fuels, oxidizers; how to calculate specific impulse; gases at high temperatures, ceramics, shock-waves; and the nature of rocket research.

Howard V. McMahon—Scientific Director, Arthur D. Little, Inc.

Charles W. Plummer and Michael T. Gregory—National Northern Corp. (Mr. Gregory is also a member of the faculty of the Abington High School)

Bradford H. Darling—Cambridge Corporation (Former Head of the Micro-Rocket Laboratory, M.I.T.)

M. Douglas Banus, Director of the Research and Development Laboratory—Metal Hydrides, Inc.

Every Friday afternoon in March at 4:00 P.M. at the
Museum of Science
Science Park, Boston, Mass.

Starting March 7th, 1958.


(By a fortunate coincidence these talks will precede a series of illustrated lectures at the Museum by the Lowell Institute under the title "From Galileo to Space Travel"—5:15 P.M. in The Planetarium.)

ACTIVITIES INTEREST CHART

Please mail Activity Survey cards to Henry A. Hill, National Polychemicals, Inc., Wilmington, Massachusetts.

THIOACETAMIDE

'Baker Analyzed' *REAGENT*



Safe... NO
NAUSEATING
ODOR

HIGH ASSAY
only \$8.80 1/4 LB.

A superior sulfide precipitant free from hazards of H_2S , Baker Thioacetamide, reagent grade, is a crystalline product of high assay and high purity, containing over 40% available sulfide. It is very soluble in water, alcohol and benzene, hydrolyzing smoothly in either acidic or alkaline solution to provide a convenient source of sulfide ion for both the quantitative and qualitative separation of the ions of heavy metals.

Thioacetamide is rapidly supplanting gaseous hydrogen sulfide as a precipitant because of its ease-of-use and freedom from noxious and corrosive properties. Sulfides precipitated by Thioacetamide—unlike those with H_2S —are coarsely crystalline,

dense, easily filterable, and the rate of precipitation can be more easily controlled.

Baker Thioacetamide is ideal for classroom use, particularly when a hood is not employed. 1/4 pound may suffice for 50 students for the usual semester qualitative course.

Baker Thioacetamide Reagent, Crystal, is packaged in 1 ounce, 1/4 pound, and 1 pound amber glass bottles. Like all 'Baker Analyzed' Reagents, each label bears the actual lot analysis of the contents.

FREE Up-to-the-minute Thioacetamide Review and article: Write, J. T. Baker Chemical Co., Executive Offices and Plant, Phillipsburg, New Jersey.



Baker Baker Chemicals

REAGENT • FINE • INDUSTRIAL

'BAKER ANALYZED' REAGENTS ARE SOLD IN YOUR AREA BY:

Doe & Ingalls, Inc., Everett, Mass.

Howe & French, Inc., Boston, Mass.

The Clafin Company, Providence, Rhode Island

Apothecaries Hall Company, (Div. of Hubbard Hall Co.), Waterbury, Conn.

**A.C.S. BUILDING FUND
COMMITTEE**

(Continued from Page 120)

C. Heinzelmann, Capt.; John P. Amsden, Capt.

Downtown Boston

Russell T. Werby, Director

Russell W. Bennett, Capt.; James J. Ledwith, Capt.; Jack L. Lapuck, Capt.; John A. Seaverns, Jr., Capt.; Bradford Marvin, Cyril C. Sullivan, Capt.; Robert A. Sullivan, Capt.; Timothy F. Sullivan, Capt.; Edwin L. Smith, Capt.

South Shore

Norman D. Loud, Director

Stewart S. Sargent, Capt.; Russell C. Hirtle, Capt.; Philip S. Taylor, Capt.; Harold W. Knudson, Capt.; Ephraim M. Miller, Capt.; Charles W. Pummer, Capt.

Southern Massachusetts

Francis Tripp, Director

James Watters, Capt.; Alfred G. Marshak, Capt.; Maud A. Marshall, Capt.; Otis E. Alley, Capt.; Peter P. Grad, Capt.

Northern Massachusetts

George R. Griffin, Director

Roland E. Cerby, Jr., Capt.; Raymond O. Normandin, Capt.; Joseph B. Quig, Capt.

North Boston

R. Tracy Eddinger, Director

Harry Koretsky, Capt.; Harold E. Killam, Thomas J. Healy, Maurice V. Kates, Morton H. Gollis, Capt.; Benjamin J. Gudzinowicz, Stanley D. Koch, R. I. Lait, Emery N. Westcott, Dominic P. Ciacco, Capt.; Clifford F. Harrington, Robert F. Lovezzola, Merrill Cohen, Capt.; Delmar E. Crawford, Alvan A. Kessel, Ellis J. Airola, George F. Wolfe, Jacob Lichman, Capt.; Norman P. Smith, Charles R. McCrossan, Daniel F. Lord, Henry Merken, Raymond E. Neal, Paul Shoer, Walter H. Chick, Jr., Stanley O. Ames

North Shore

Henry A. Hill, Director

Benjamin P. Hecht, Capt.; Maurice E. Baer, Arthur J. Moreau, Martha J. B. Thomas, Capt.; Robert W. Brag-

don, Henry Lasman, G. Richard Blair, Capt.; Ralph H. Green, Jr., Harold Rosenthal, David A. Trageser, Capt.; Frederic C. Merriam

West Cambridge

Edward R. Atkinson, Director

Gershon M. Goldberg, John L. Ohlson, W. Franklin Fallwell, Jr., John C. Gale, Gilbert Small, John L. Ennis, G. Richard Handrick, Harold F. Stedman, Thomas Raphael, Virginia R. Valeri, Anne J. Neilson, J. Paul Sanderson

East Cambridge

James H. Gardner, Director

James C. MacKenzie, Capt.; Hanna Friedenstien, Walter B. Spencer, F. Scott Carpenter, John R. Ghublikian, Norman Beecher, Capt.; Charles I. Tewksbury, Erwin F. Schoenbrunn, G. Lloyd Martin, James F. Gabbett, Norman W. Rosenberg, Capt.; Milton Green, David Z. Robinson, Edgar B. Read, Ernest C. Peakes, Lyon Southworth, John L. Eisenmann, Charles I. Sullivan, Capt.; Charles S. Frary, Perley A. Coffin, Francis J. Roderick, Chester E. Claff, Jr.

West Boston

Laurence S. Foster, Director

Richard S. Cass, Capt.; Fred T. Willett, Marcus G. Grodberg, Walter S. Frost, John J. Phillips, Jr., Phineas E. Norman, Capt.; Fred G. Howell, Harold P. Klein, Donald D. Wright, Irving A. Berstein, Capt.; Marvin A. Stolberg, Gary E. Maciel, Jacob G. Mark, Maurice S. Raben, Harriet D. Thompson, Capt.; Bernard Rubin, Mary C. Lavine, Jack Lowen, Charles E. MacNeill, Vivian K. Walworth, Laurence R. B. Harvey, Percy Ehrlich, Capt.; Ralph L. Mondano, Capt.

West of Boston

Charles W. Stillwell, Director


George R. Sommer, Capt.; Albert E. Frost, Kenneth L. Winkley, Stuart B. Foster, Frank Salina, Robert F. Charles, Capt.; Joseph P. Carey, Paul D. Jost, Roderick J. Cowles, Capt.; George D. Bieber, George L. Mann, Howard I. Fitz, Robert E. Thomas, Carl W. Steeg, Jr., Joseph N. Donahue, S. David Bailey, Capt.; George R. Thomas, Capt.; F. W. Travers, Capt.; John C. Quinn, Vernon R. Palas, George W. Wright

1000° F IN 105 MINUTES

Precision-Freas **"Hi-Temp"** **MECHANICAL CONVECTION OVEN**

"HI-TEMP" is a new *Precision-Freas* oven with a temperature range of 125° to 1000° F. Dependable control is obtained through use of a hyper-sensitive electronic resistance thermometer system. The oven takes only 105 minutes to reach the maximum temperature of 1000° F. Uniformity at 1000° F. is $\pm 10^\circ$ F., sensitivity $\pm 5^\circ$ F. (At 200° F. uniformity is $\pm 2^\circ$ F., sensitivity $\pm 1^\circ$ F.)

Construction features include: double walled cabinet with stainless steel interior, choice of polished stainless steel or baked silicone enamel exterior, heavy insulation, explosion type adjustable safety latches, two adjustable stainless



Range:
125° to 1000° F.

steel expanded metal shelves, and ribbon-type nickel-chromium heating elements wound on porcelain refractories.

There are two models for 230 volt, 60 cycle, 3 phase AC. The working chamber in Model 826 is 19" x 14" x 19" high; in Model 824 it is 35" x 19" x 26" high. Total wattage is 6350 and 8750 respectively.

Write for detailed information and prices.



SCIENTIFIC GLASS APPARATUS CO., INC.
BLOOMFIELD - NEW JERSEY
LABORATORY APPARATUS - INSTRUMENTS - CHEMICALS - GLASSWARE



B&A Perchloric Acid is produced in 60% and 72% Reagent strengths, meeting A.C.S. specifications. It is readily available in cases of 1-pound or 5-pint bottles and carboys from B&A's extensive national distribution network.

Labels are color-coded black for easy identification and safety.

5 rules to follow in handling PERCHLORIC ACID

Like many other laboratory reagents, Perchloric Acid requires proper handling. Here are five basic safety rules that should always be observed:

- 1 Perform laboratory reactions involving perchloric acid solution in a hood and behind laboratory safety shields.
- 2 Use only with hoods made of metallic or ceramic materials. Do not allow ducts and hoods to collect dust or residues of any type. Wash down daily.
- 3 Use no more than a single 1-pound bottle of perchloric acid per hood. Keep reagent bottle in hood on deep stainless steel tray with capacity to hold entire

contents in case of breakage. Rinse tray and outside of bottle daily. Rinse all glass apparatus thoroughly.

- 4 Use heat-resistant beakers, flasks or test tubes to minimize breakage from heat strains. Use glass-to-glass unions in assembled apparatus.
- 5 Any spillage should be washed up immediately, using large quantities of water with repeated mopping up and final thorough rinsing of the mopping-up material used.

If you would like additional storing and handling information, write us for a free copy of M.C.A. Chemical Safety Data Sheet SD11.



BAKER & ADAMSON[®]
Reagents

GENERAL CHEMICAL DIVISION


ALLIED CHEMICAL & DYE CORPORATION

40 Rector Street, New York 6, N. Y.

Albany 5—Railroad Avenue—Albany 2-4469

Providence 1—58 Weybosset Street—DExter 1-2366

Boston—Wellington Station, Medford 55—MYstic 6-3568



MEETING OF THE DIRECTORS OF THE NORTHEASTERN SECTION OF THE AMERICAN CHEMICAL SOCIETY

Because of Christmas mail the minutes for the December meeting of the Directors was received too late for inclusion in the January NUCLEUS.

—Editor

The December meeting of the Directors was held at 4:35 P.M., December 3, 1957, in the Moore Room at M.I.T., Chairman Lockhart B. Rogers presiding. The following members were present: Avery A. Ashdown, Robert D. Eddy, John T. Blake, Edward R. Atkinson, David M. Howell, Henry A. Hill, P. Calvin Maybury, John A. Timm, Lloyd H. Perry and Fred W. McLafferty. The minutes of the November meeting were accepted as distributed.

Lloyd H. Perry reported that the balance as of December 1, 1957, was \$2,659.15. During November the expenses were \$160.92. There was no income.

The report of the Chemistry Education Committee was delivered by P. Calvin Maybury. A program for the coming year was formulated at a recent meeting of the Committee. Members of the Section will be solicited to maintain contact with their high schools. About 70 members will be needed. This technique has worked out well in other sections and will permit other programs of the committee to funnel through these contact people. Three lecture series on the chemistry of rockets are planned for high school teachers during the winter. A gifted student program committee is to be organized consisting of two high school teachers and two A.C.S. members. The committee will work jointly with the Public Relations Committee in evaluating the possibility of setting up a speakers' bureau.

Henry A. Hill announced that the section has gained three new members. Twenty-seven have moved in and twenty have transferred out, leaving a total of 2,410 as of December 3, 1957.

In reporting for the Nominating Committee, Edward R. Atkinson urged members to send suggestions for candidates for national office.

Fred W. McLafferty outlined in detail the A.C.S. building fund campaign. Three million dollars are needed for a new A.C.S. building in Washington, D.C.

The secretary reported on the forthcoming annual report. Various methods were discussed for improving its general quality.

There being no further business, the meeting adjourned at 5:45 P.M.

Respectfully submitted,
RIDGLEY G. SHEPHERD, JR.
Secretary

MEETING OF THE DIRECTORS OF THE NORTHEASTERN SECTION OF THE AMERICAN CHEMICAL SOCIETY

The January meeting of the Directors was held at 4:40 P.M., January 7, 1958 in the Moore Room at M.I.T., Chairman Lockhart B. Rogers presiding. The following members were present: Avery A. Ashdown, Arthur C. Cope, Edward R. Atkinson, Arno H. A. Heyn, Henry A. Hill, David M. Howell, P. Calvin Maybury, Lloyd H. Perry, Arnet L. Powell, Howard H. Reynolds, Robert A. Shepard and Ridgley G. Shepherd, Jr. The minutes of the December meeting were accepted as corrected.


Chairman Rogers announced that the Section will have only seven instead of eight councillors in 1958 due to a change in divisor. The new divisor figure was released by A.C.S. headquarters in December. Since there were eight elected Councillors and Alternate Councillors, it was necessary to drop one of each. This was done by a drawing since a certified list of Councillors was needed by A.C.S. headquarters prior to January 1, 1958. As a result of the drawing Elkan R. Blout and C. Richard Morgan were taken from the Councillor list. The action was confirmed by the Directors. A discussion resulted on various procedures for dropping Councillors in the event this situation arises again.

On a motion duly made and seconded, it was

VOTED that the Committee on Amendments to the Constitution and By-Laws be requested to for-

(Please turn to Page 133)

from
any
angle...



YOUR NEW **WILL "7"** CATALOG IS A "NATURAL" FOR SAVING YOU TIME

You owe it to yourself to get acquainted with your Will "7" right away. You'll be pleased to see how WILL has made your lab apparatus procurement job so much easier . . . so much less time consuming. Take a few minutes now to see how you can profit with this new easier-to-use buyers' guide. Here's what you'll find:

IT'S MODERN, COMPLETE . . . CONCISE!

Whatever equipment need arises, here's your best source for the latest product information—organized by new catalog editing techniques . . . to help you make the right purchase.

IT'S SPEEDEXED AND THUMB INDEXED!

Here's a unique buyer-aid combination that opens the new WILL "7" for you to any of 13 sections . . . instantly. Each section is sub-indexed, has comparison tables for quicker selection.

Learn to rely on the WILL "7" Catalog as well as on Will Service. If you do not have access to a copy now, write today or call your nearby Will Supply and Service Center.

Will CORPORATION
and subsidiaries

Specialists in  Scientific Supply

ROCHESTER 3, N. Y. : ATLANTA 1, GA. : NEW YORK 52, N. Y. : BALTIMORE 24, MD.
BUFFALO 5, N. Y. : SO. CHARLESTON 3, W. VIRGINIA

MEETING OF THE DIRECTORS

(Continued from Page 131)

ulate suggestions as to a procedure for dropping Councillors in the event the Councillor divisor is increased.

The Treasurer's report was presented by Lloyd H. Perry. During the period from December 1, 1957, to January 1, 1958, the income was \$22.00 with expenses of \$349.53. The current balance is \$2,331.62. The report was accepted.

P. Calvin Maybury delivered the report of the Committee on Chemistry Education. The various plans announced at the December meeting of the Directors are well underway. A series of lectures for high school teachers will be held at Science Park beginning on March 6, 1958. Presentation of this series is being assisted by the Museum of Science and the N. E. A. C. T. The Sub-Committee for Summer Employment of High School Teachers is starting a mail campaign in several weeks. They plan to circulate lists of available teachers and summer positions. A Speakers' Bureau Sub-Committee has been organized jointly with the Public Relations Committee. This committee consists of William E. Gordon, Chairman, Ronald M. Milburn, Norman D. Loud and J. Horace Faull, Jr. Arrangements have been made by this Committee for Austin W. Fisher, Jr. to speak before a P. T. A. group in Reading in January.

Arnet L. Powell, Chairman of the Public Relations Committee, reviewed the Section activities in television and radio. Dr. Powell participated in the December "Dimensions" program. The topic concerned new developments in chemistry. The January and February programs are planned. Arrangements appear to be well along for presenting the A.C.S. taped programs over a prominent Boston radio station.

Henry A. Hill reported the current Section membership to be 2434 as compared to December's 2410.

According to David M. Howell, the December student night program was eminently successful with more than 30 schools represented. Robert A. Shepard reported that each student in attendance was publicized in his home-town newspaper. Due to a misunderstanding the Coffee Committee was burdened with extra clean-up duties. This situation has been corrected. The Directors expressed formal appreciation to the young ladies assisting the Coffee Committee.

Under old business, Chairman Lockhart B. Rogers reported that the Building Fund Committee has planned a kick-off meeting for January 30, 1958.

There being no further business, the meeting was adjourned at 5:40 P.M.

Respectfully submitted,
RIDGLEY G. SHEPHERD, JR.
Secretary



BOSTON LINOTYPE PRINT, INC.

Printers of


PROGRAMS : BROCHURES : BOOKS : MAGAZINES

270 CONGRESS STREET, BOSTON

(One block from South Station)

Telephone HAncock 6-4703

STAINLESS STEEL PLATES and BEAMS



this scale has everything!

OHAUS

TRIPLE BEAM BALANCE

This scale comes in a wide selection of models. Models available with undivided tare beam. Choice of stainless steel plate, removable pan, scoop, or animal subject box.

Selection of METRIC, AVOIR., or GRAIN Standards.

Pictured: MODEL 750-S . . . metric calibrations.

FRONT BEAM 10 x 1/10 grams
CENTER BEAM 500 x 100 grams
BACK BEAM 100 x 10 grams

SENSITIVITY: 0.1 gram

CAPACITY WITHOUT ATTACHMENT WTS.. 610 grams
CAPACITY WITH ATTACHMENT WTS.....2610 grams

write for complete information

HOWE & FRENCH, INC.

LABORATORY SUPPLY DIVISION

99 BROAD STREET, BOSTON 10, MASS.

Est. 1834

The NUCLEUS MEANS BUSINESS

Reaches Thousands of Key Potential Buyers!

CIRCULATION
ABOUT
3000!

Inexpensive Advertising
Rates
Example:
\$35 per page (9 times rate)

Published by the Northeastern Section A.C.S.
ONLY METHOD used by Northeastern Section,
A.C.S. to keep members posted on activities.

**Yes! The Nucleus can mean business – new
and expanded business for your company.**

Send for complete information

Just tear out coupon below

The NUCLEUS, 10 High St., Boston 10, Mass.

Please send circulation, mechanical data and rates to:

Name

Company

Street

City State.....


NOW from —
Macalaster Bicknell Company

The NEW

METTLER SERIES



MULTI-PURPOSE BALANCE



ACCURATE

Weights and samples are interchanged on the same beam arm.

EASY OPERATION

Even unskilled personnel can make precision weighings.

FAST

10 to 20 seconds weighing.

DIRECT READING

Optical scale 1200 mg.

3 MODELS AVAILABLE

Model	Sensitivity	Accuracy in Optical Range	Precision	Readability	Built-in Weights Adjusted to: (Tolerances)	Prices
H-3	10 mg	± 1 mg	± 0.5 mg	1 mg	Class P	\$550.00
H-4	1 mg	± 0.5 mg	± 0.3 mg	0.5 mg	Class P	585.00
H-5	0.5 mg	± 0.1 mg	± 0.1 mg	0.1 mg	Class S	650.00

CAPACITY OF ALL MODELS, 160g

PROVIDES HIGH DEGREE OF ACCURACY
... at Low Budget Cost

Series H — Important Link Between Series K and Series B



Series K
 High-Speed
 Precision
 Balances



Series H
 Multi-Purpose
 Balances



Series B
 Analytical
 Balances



Macalaster Bicknell Company

Laboratory Supplies and Equipment • Special Glassware for Experimental Work

243 Broadway
 Cambridge, Mass.

181 Henry St.
 New Haven, Conn.